



Rickenbacker

RETAIL PRICE LIST

SEPTEMBER, 1987

Guitars

Suggested List \$

230	Hamburg, 24 fret, solid body, semi-active electronics, dot inlays	499
250	El Dorado like 230 but with bound body and all gold hardware	669
610	Solid maple body, mono, dot inlays, no binding, 21 fret, neck thru body	599
620	Deluxe bound body & neck, inlays, 21 fret, 2 pickups, wired for stereo	699
620/12	Like 620 but with 12 strings	799
320	Liverpool, 21 fret short scale, 3 pickup, semi-hollow body	869
350	24 fret full scale, 3 pickup, semi-hollow body	979
*330	Thinline semi-acoustic, 24 fret, 2 pickups, dot inlays, mono	899
*330/12	Like 330 but with 12 strings, 'R' tailpiece	999
*360	Deluxe thinline, semi-acoustic hollow body, inlayed neck, wired for stereo	999
*360/12	Like 360 but with 12 strings	1099
*360WB	Like 360 but with hand bound front & back body	1099
*360/12WB	Like 360WB but with 12 strings	1199
362/12	6 + 12 string double neck (see 360 + 360/12) (Special Order)	2599
4080	4 + 6 string double neck (see 4003 + 620) (Special Order)	2399
4080/12	4 + 12 string double neck (see 4003 + 620/12) (Special Order)	2699

Vintage Reissues

325V59	3 pickup, semi-hollow, gold pickguard, Bigsby vibrato, 21 fret, short scale (MG, JG colors only)	1299
325V63	3 pickup, semi-hollow, white pickguard, RIC vibrato, 21 fret, short scale (JG color only)	1299
360/12V64	2 pickup, semi-acoustic, trapeze tailpiece, all bound, 21 fret, full scale (FG color only)	1299
4001V63	Horseshoe pickup, Kluson style keywinds, neck thru body (FG, MG color only)	1299
1997VB	Handcarved 21 fret, full scale Maple neck, dot inlays, vintage pickups, violin F hole, semi-hollow body, RIC vibrato (FG color only)	1149
1997	Same as VB model but with trapeze tailpiece	1099
381V68	Deep dble. cutaway body, carved Birds Eye Maple top & back, fully bound, 21 frets, vintage pickups (FG, MG, JG colors only)	1599

Basses

2030	Hamburg full scale, semi-active electronics, 2 pickups, chrome hardware	599
2050	El Dorado full scale, semi-active electronics, 2 pickups, bound, gold hardware	799
4003	Roundwound strings, bound body + neck, full inlay, wired for stereo	999
4003S	Roundwound strings, mono, no binding, dot inlay neck	909
4003S/5	5 string (low B), mono, no binding, dot inlay neck	1099
4003S/8	8 string, mono, no binding, dot inlay neck	1299
4003FL	Like 4003 bass but fretless, tape wound strings	999

Cases

C200	For all 200 series guitar models	129
C300	For Models 330/6 + 12, 360/6 + 12 + WB, 360/12V64, 1997	129
C320	For Models 320, 325V59, 325V63	129
C600	For all 600 series guitar models and Model 350	129
C2000	For all 2000 series bass models	129
C4000	For all 4000 series bass models	129
C381	For 381 Vintage model	149
C300DN	For 362/12 double neck model	189
C4080	For Models 4080, 4080/12	189

Colors

Midnight Blue (MID), **Silver** (SIL), **Ruby** (RBY), **White** (WHT), **Mapleglo** (MG), **Fireglo** (FG), **Jetglo** (JG), and **Red** (RED)

MID, SIL, WHT, RED & MG come standard with **Black** hardware, binding, nameplate and pickguard.

RBY, FG & JG come standard with **Chrome** hardware, **White** binding, nameplate and pickguard.

Options (Special Order)

Custom charge for reversal of hardware, binding, nameplate and pickguard color

Lefthand (available except 200, 2000 series)

Righthand stringing of lefthand instrument

Vintage RIC vibrato

Vintage "Bar" pickup (bass or guitar)

Guitars which can be special ordered with 3 pickups

Suggested List \$

50

125

50

100

100

125

NOTE: ALL SPECIAL ORDERS REQUIRE 50% DEPOSIT

Electric Guitar Strings

Rickenbacker Model No.	Guitar Type	String Gauge	Suggested List \$
S 101	Round Wound NikL	8-11-14-22-30-38	7.00
S 102	Round Wound NikL	9-11-16-24-32-42	
S 103	Round Wound NikL	9-11-16-26-36-46	
S 104	Round Wound NikL	10-13-17-26-36-46	
S 105	Round Wound NikL	10-13-18W-26-36-46	
*S 106	Short Scale NikL	12-16-24W-32-42-54	7.50
S 201	Round Wound Stainless	8-11-14-22-30-38	
S 202	Round Wound Stainless	9-11-16-24-32-42	
S 203	Round Wound Stainless	10-13-17-26-36-46	
S 401	Compressed Round Wound	8-11-14-22-30-38	
S 402	Compressed Round Wound	9-11-16-24-32-42	
*S 403	Compressed Round Wound	10-13-17-26-32-38	12.50
*S 404	Compressed Round Wound 12 String	10-13-20-26-34-42 10-13-10-12-20-26	

Electric Bass Strings

Rickenbacker Model No.	Bass Type	String Gauge	Suggested List \$
S 110	Round Wound NikL	40-55-75-95	30.00
*S 111	Round Wound NikL	45-55-75-105	
*S 115	Round Wound NikL	45-55-75-105-115	35.00
*S 118	Round Wound NikL 8 String	45-55-70-90 20-25-35-45	
S 222	Round Wound Stainless	40-58-80-102	32.00
S 333	Round Wound Stainless	44-63-80-102	
S 444	Compressed Round Wound	40-54-76-96	35.00
S 555	Compressed Round Wound	44-58-80-102	
S 666	Round Ground	45-56-77-98	35.00
S 777	Round Ground	46-62-77-98	

*Standard factory specification for Rickenbacker Guitars and Bases

Guitar Amplifiers & Enclosures

Suggested List \$

RG7	Dual inputs (high and low gain); separate gain and volume controls; ultra-wide range active bass, middle and treble controls; front panel headphone jack; single 10" special design loud speaker in open back enclosure; 7 watts RMS with 5% total harmonic distortion at 8 ohms; dimensions — 15¾" H x 17¾" W x 8¼" D. Approximate weight - 23 pounds.	169
RG15	Panel features of RG7, plus reverb; reverb footswitch jack; single 10" special design loud speaker in open back enclosure; 15 watts RMS with 5% total harmonic distortion at 16 ohms; dimensions — 15¾" H x 17¾" W x 8¼" D. Approximate weight - 24 pounds.	249
RG30	Panel features of RG15, plus precision reverb with footswitch jack; single 12" special design loud speaker in open back enclosure; 30 watts RMS with 5% total harmonic distortion at 16 ohms; dimensions — 17¾" H x 20¾" W x 8¾" D. Approximate weight - 34 pounds.	299
RG60	Panel features of RG30, plus gain/reverb dual footswitch jack; line-out and external speaker jacks on rear panel; single 12" special design loud speaker in open back enclosure; 60 watts RMS with 5% total harmonic distortion at 8 ohms; dimensions — 20¾" H x 20¾" W x 10½" D. Approximate weight - 55 pounds.	399
RG60GT	Features and power ratings of RG60, with two 10" special design loud speakers in open back enclosure; dimensions — 25¾" H x 20¾" W x 10½" D. Approximate weight - 60 pounds.	429
RG90H	Dual inputs (high and low gain); dual channel switching with active bass, middle and treble controls on each channel; sweeping mid frequency control on overdrive channel; reverb and chorus effects, assignable to either or both channels independently; front panel headphone jack; rear panel effects loop for each channel; two speaker jacks-main and auxiliary; line-out jack; multipin footswitch jack for reverb; chorus and channel switching; 90 watts RMS with 5% total harmonic distortion at 4 ohms; dimensions — 8" H x 27" W x 11¾" D. Approximate weight - 30 pounds.	599
RG180H	Similar features to RG90; except 180 watts RMS with 5% total harmonic distortion at 2 ohms. Approximate weight - 32 pounds.	799
RG90	Same features as RG90H but with two 12", heavy duty (38 oz. magnets) speakers in open back cabinet; dimensions — 20¾" H x 27" W x 11¾" D. Approximate weight - 65 pounds.	879
RG180	Same features as RG180H but with two 12", extra heavy duty (56 oz. magnets) speakers in open back cabinet; dimensions — 20¾" H x 27" W x 11¾" D. Approximate weight - 80 pounds.	1099
RX412-90	Stackable, closed back, extension speaker enclosure with four 12" heavy duty speakers (38 oz. magnets) for total cabinet impedance at 8 ohms; dimensions - 29" H x 29" W x 14¼" D. Approximate weight - 91 pounds.	479
RX412-180	Similar to RX412/90 with four extra heavy duty speakers (54 oz. magnets) for total cabinet impedance at 4 ohms. Approximate weight - 105 pounds.	549
RX212-90	Stackable, open back enclosure with two 12" heavy duty speakers (38 oz. magnets) for total cabinet impedance at 4 ohms; dimensions - 27" H x 16" W x 12" D. Approximate weight - 44.5pounds.	299
RX212-180	Similar to RX212/90 with two extra heavy duty speakers (54 oz. magnets) for total cabinet impedance at 2 ohms. Approximate weight - 48 pounds.	399
FS2	Dual button foot switch, with LED indicators for channel switching. Heavy metal chassis, for use with RG90 and RG180.	69
FS4	Four button foot switch with LED indicators for channel switching, reverb, and chorus; for use with RG90 and RG180.	100

Bass Amplifiers & Enclosures

Suggested List \$

RB30	Dual inputs (high and low gain); treble, middle, bass and volume controls; preamp send and return jacks; single 12" special design loud speaker; 30 watts RMS with 5% total harmonic distortion at 4 ohms; dimensions — 20¾" H x 19½" W x 10½" D. Approximate weight - 34 pounds.	289
RB60	Panel features of RB30; single 15" heavy duty speaker; 60 watts RMS with 5% total harmonic distortion at 8 ohms; dimensions — 25¾" H x 20¾" W x 10½" D. Approximate weight - 55 pounds.	389
RB120	Panel features of RB60; single 15" extra heavy duty speaker; 120 watts RMS with 5% total harmonic distortion at 4 ohms; dimensions — 25¾" H x 20¾" W x 10½" D. Approximate weight - 75 pounds.	499
RX60	Extensions speaker enclosure for RB60 with single 15" heavy duty speaker (38 oz. magnet); increases RB60 to 90 watts RMS with 5% total harmonic distortion; dimensions — 25¾" H x 20¾" W x 10½" D. Approximate weight - 45 pounds.	189
RX120	Extension speaker enclosure for RB120 with single 15" extra heavy duty speaker (54 oz. magnet); increases RB120 to 180 watts RMS with 5% total harmonic distortion; dimensions — 25¾" H x 20¾" W x 10½" D. Approximate weight - 50 pounds.	259

Rack Mount Power Amps (by Sony Sound Tec)

RA300	220 watts RMS per channel with .05% total harmonic distortion at 4 ohms, 365 watts RMS into 8 ohms bridged. Approximate weight - 29 pounds.	649
RA600	440 watts RMS per channel with .05% total harmonic distortion at 4 ohms, 730 watts RMS into 8 ohms bridged. Approximate weight - 36 pounds.	999

Shipping

Prepaid shipping charges depend on discount program (see Rickenbacker representative). Rickenbacker reserves the right to select the carrier on prepaid shipments. All COD and other accessorial fees are responsibility of consignee.

Certain items shipped by UPS, due to their large size, must be charged at a minimum weight of 25 pounds.

We reserve the right to levy charges for special shipping preparation or documentation.

All claims, inspections, damage reports are responsibility of consignee and must be reported at once to carrier.

RICKENBACKER INTERNATIONAL CORPORATION, 3895 S. Main St., Santa Ana, California 92707 USA.

TEL (714) 545-5574, TLX II 910-595-1923

The company is engaged in a continuing research and development program and therefore reserves the right to change specifications and prices without notice.

September 1987
DF0012